

Downspout Filter

PROVEN STORMWATER TREATMENT TECHNOLOGY



OVERVIEW

The Bio Clean Downspout Filter is the industry's leading solution for treatment of roof runoff. This technology is used to treat commercial and industrial roof tops along with high rise buildings, parking structures and residential buildings.

Available in 3 sizes, this filter can easily adapt to downspouts 2" to 12" in diameter. The filter comes standard with adapters that allow for easy installation to the downspout.

Proven since 2003, the Bio Clean Downspout Filter has been used in hundreds of installations throughout the United States. All internal components are constructed of stainless steel.

The sleek inline design allows the filter to be used in tight spaces. Used to meet NPDES Phase II stormwater requirements and approved by the IAPMO, this filter can meet all your needs.



ADVANTAGES

- 5 year warranty
- No nets or geofabrics
- Sleek inline design
- High treatment flow rate
- High bypass flow rate
- Low cost

PERFORMANCE

- 93% removal of TSS
- 87% removal of Hydrocarbons
- Effective at removing metals, nutrients and bacteria (media type)

SPECIFICATIONS

MODEL NO.	INLET ID (dia., in.)	FILTER OD (dia., in.)	STORAGE CAPACITY (cu. ft.)	FILTERED FLOW (gpm)	BYPASS FLOW (gpm)
BC-DF4	4	6.625	.09	249	566
BC-DF6	6	8.625	.21	509	1006
BC-DF8	8	8.625	.21	509	1006
BC-DF10	10	12.75	.77	1145	2264
BC-DF12	12	12.75	.77	1145	2264


www.BioCleanEnvironmental.com

Downspout Filter

PROVEN STORMWATER TREATMENT TECHNOLOGY

 **BYPASS FLOW PATH**
 **TREATMENT FLOW PATH**

OPERATION



APPLICATIONS



- COMMERCIAL
- RESIDENTIAL
- PARKING STRUCTURES
- MIXED USE

EASILY ADAPTS TO SQUARE OR RECTANGLE DOWNSPOUTS



FITS INLINE WITH IRON, STEEL OR PLASTIC PIPE

APPROVALS



CITY OF LOS ANGELES
RR-5668



IAPMO TESTING & APPROVAL LISTING

INSTALLATION & MAINTENANCE

See our website for installation & maintenance manuals
www.BioCleanEnvironmental.com

PO Box 869
 Oceanside, CA 92049
 P 760-433-7640 F 760-433-3176
www.BioCleanEnvironmental.com

